

INDEX TO VOLUME 108, 1996

BY KATHLEEN G. BEAL

This index includes references to genera, species, authors, and key words or terms. In addition to avian species, references are made to the scientific names of all vertebrates mentioned within the volume and other taxa mentioned prominently in the text. Common names are as they appear in the volume unless otherwise specified. Reference is made to books reviewed, and announcements as they appear in the volume.

- abundance
 effects of field age on, 760–770
 in riparian zones in the Cascade Mountains, Oregon, 280–291
- Accipiter cooperii*, 236
- Acrobatornis fonsecai* gen. nov., sp. nov., 397–433
 (Frontispiece), 434–448
- Acrocephalus arundinaceus*, 513
- luscini*a, 246–267
- Actitis macularia*, 191, 535, 537
- addendum, 204
- Aegolius acadicus*, 123–128
 funereus, 127
- Aerodramus vanikorensis*, 247, 258
- Agelaius [assimilis]*, 372–374
 phoeniceus, 184, 372–374, 543, 573–583, 687, 689, 764, 766, 768
- Agosia chrysogaster*, 377
- Aimophila aestivalis*, 190, 474
- Aix sponsa*, 62, 69, 701
- Akekee, see *Loxops caeruleirostris*
- Akepa, see *Loxops coccineus*
- Akiapolaau, see *Hemignathus munroi*
- Akikiki, see *Oreomystis bairdi*
- Alauahio, Maui, see *Paroreomyza montana*
- Alces alces*, 171
- Alden, Peter, review by, 390–391, 391–393
- Allen, Paul E., Breeding biology and natural history of the Bahama Swallow, 480–495
- Alophoixus phaeocephalus*, 171
- Amakihi, Common, see *Hemignathus virens*
 Kauai, see *Hemignathus stejnegeri*
- Amazilia rutila*, 168
- Amazilia versicolor*, 9
 violiceps, 228–245
- Amazona vittata*, 159–163, 164–166
- Amblycercys holosericeus*, 225
- Anas acuta*, 69
 clypeata, 187
 crecca, 187
 cyanoptera, 187
 discors, 145
 fulvigula, 187–189
 platyrhynchos, 68, 69, 187, 557, 766
 rubripes, 187
 strepera, 145, 187
- Andrews, Brenda J., Marie Sullivan, and J. David Hoerath, Vermilion Flycatcher and Black Phoebe feeding on fish, 377–378
- Ani, Groove-billed, see *Crotophaga sulcirostris*
- Anianiau, see *Hemignathus parvus*
- Ankney, C. Davison, see Leafloor, James O., John E. Thompson, and ———
- announcement
 The atlas of southern African birds, publication information, 603
- Anolis* sp., 176
- Anthony, Robert G., Gregory A. Green, Eric D. Forsman, and S. Kim Nelson, Avian abundance in riparian zones of three forest types in the Cascade Mountains, Oregon, 280–291
- Anthracothonax nigricolis*, 9
- Antshrike, Barred, see *Thamnophilus dolia-tus*
- Anumbius anumbi*, 375, 447
 spp., 447
- Anous stolidus*, 317–334
 tenuirostris, 332
- Anser albifrons*, 154–159
 anser, 155, 369
- Apapane, see *Himatione sanguinea*
- Aphelocoma californica*, 712–727
 ultramarina, 236, 724

- Aplonis opaca*, 246–267
Aptenodytes patagonicus, 78
Aquila adalberti, 354
Archilochus alexandri, 228–245, 542
 colubris, 168, 498
Ardea cocoi, 526
 herodias occidentalis, 342, 354, 355
Arenaria interpres, 330, 783–796
 Arendt, Wayne J., see Meyers, J. Michael,
 ———, and Gerald D. Lindsey
 Arnold, Keith A., see Dickinson, Vanessa
 M., and ———
Asio otus, 127
Asthenes anthoides, 420
 baeri, 397–433
 dorbignyi, 397–433
 luizae, 447
 patagonica, 397–433, 445
 spp., 397–433, 434–448
Atlapetes rufinucha, 223
 Atwood, Jonathan L., Christopher C. Rim-
 mer, Kent P. McFarland, Sophia H.
 Tsai, and Laura R. Nagy, Distribution
 of Bicknell's Thrush in New England
 and New York, 650–661
 Atwood, Jonathan L., see Rimmer, Christo-
 pher C., ———, Kent P. McFarland,
 and Laura R. Nagy
 awards and grants
 Biological Research Station of the Ed-
 mund Niles Huyck Preserve, 603
 North American Bluebird Society, 602
Aythya affinis, 380–381, 556–566
 ferina, 556, 563
 fuligula, 561, 563
 marila, 380–381, 563
 Baker, Myron C., Female buntings from hy-
 bridizing populations prefer conspe-
 cific males, 771–775
 Baltosser, William H., Nest attentiveness in
 hummingbirds, 228–245
 Bananaquit, see *Coereba flaveola*
 Barrow, Mark V., Jr., review by, 200–201
 Barth, Robert H., Jr., see Whitney, Bret M.,
 José Fernando Pacheco, Paulo Sérgio
 Moreira da Fonseca, and ———
Bartramia longicauda, 783–796
 bear, black, see *Ursus americanus*
 Becard, Black-capped, see *Pachyramphus*
 marginatus
 Chestnut-crowned, see *Pachyramphus*
 castaneus
 Rose-throated, see *Pachyramphus aglaiae*
 Bedell, Paul A., Evidence of dual breeding
 ranges for the Sedge Wren in the cen-
 tral great plains, 115–122
 behavior
 avoidance
 of cabbage fields by *Chen caerulescens*,
 369–371
 breeding
 cooperation in *Wilsonia citrina*, 382–
 384
 of *Charadrius montanus* in Colorado,
 28–35
 of *Dendroica cerulea*, 673–684
 caching
 in wintering *Melanerpes erythrocephalus*,
 740–747
 courtship
 of *Dendroica chrysoparia*, 591–592
 drinking
 by *Pinicola enucleator*, 186–187
 feeding
 of radio tagged *Aythya affinis*, 556–566
 on fish by *Pyrocephalus rubinus* and
 Sayornis nigricans, 377–378
 foraging
 of sympatric *Chen caerulescens*, *Anser*
 albifrons, and *Branta canadensis*,
 154–159
 use of coastal agricultural fields by
 shorebirds, 783–796
 mate choice
 of female *Passerina cyanea* and *Passer-*
 ina amoena in hybridizing pop-
 ulation, 771–775
 nesting
 of *Melamprosops phaeosoma*, 620–638
 singing
 effect of removal of mate on female
 Cardinalis cardinalis, 550–555
 vocal
 of *Catharus bicknelli*, 639–649
 Best, Louis B., see Gionfriddo, James P., and
 ———
 Best, Louis B., see Mitchell, Mary Crowe,
 ———, and James P. Gionfriddo
 Bevier, Louis R., (ed.), The atlas of breeding
 birds of Connecticut, 595–596

- Bildstein, Keith L., reviews by, 593–594, 594
- Bittern, Yellow, see *Ixobrychus sinensis*
- Blackbird, Brewer's, Red-winged, see *Agelaius phoeniceus*
- Bleier, William J., see Homan, H. Jeffrey, George M. Linz, ———, and Robert B. Carlson
- Blem, C. R., reviews by, 197, 198, 393, 809
- Block, William M., Michael L. Morrison, and M. Hildegard Reiser, (eds.), *The Northern Goshawk: ecology and management*, reviewed, 593–594
- Bobolink, see *Dolichonyx oryzivorus*
- Bobwhite, Northern, see *Colinus virginianus*
- Bodsworth, Fred, *Last of the curlews*, reviewed, 393–394
- body mass
- changes during nesting and brood rearing in female *Bucephala clangula*, 61–71
 - of fall migrant *Clangula hyemalis*, 567–572
- Bombus* sp., 236
- Bombycilla cedrorum*, 126, 186, 381–382, 687, 688, 691
- garrulus*, 125, 186
 - spp., 125
- Bonasa umbellus*, 129–136, 733
- Bornschein, Marcos R., and Bianca L. Reintert, *The Andean Flamingo (Phoenicoparrus andinus) in Brazil*, 807–808
- Bos taurus*, 236
- Bradley, Patricia, *Birds of the Cayman Islands*, reviewed, 198
- Branta canadensis*, 154–159
- leucopsis*, 155
- Brauning, Daniel W., review by, 596–597
- breeding
- biology
 - of *Anous stolidus* in Hawaii, 317–334
 - of *Jabiru mycteria* in Venezuela, 524–534
 - of *Parus montanus* in northeastern Siberia, 80–93
 - of *Polyborus [Caracara] plancus*, 516–523
 - of *Tachycineta cyaneoviridis*, 480–495
 - cooperative
 - in *Wilsonia citrina*, 382–384
 - range
 - evidence of dual distribution for *Cistothorus platensis*, 115–122
- Brodhead, Michael J., see Tomer, John S., and ———
- Bronson, C. L., see Doherty, Paul F., Jr., Thomas C. Grubb, Jr., and ———
- Brumfield, Robb T., and J. V. Remsen, Jr., *Geographic variation and species limits in Cinnycerthia wrens of the Andes*, 205–227
- Bubo virginianus*, 127
- Bubulcus ibis*, 171, 342
- Bucephala clangula*, 61–71
- Buckelew, Albert, Jr., and George A. Hall, *The West Virginia breeding bird atlas*, reviewed, 596–597
- Bulbul, Yellow-bellied, see *Alophoixus phaeocephalus*
- bumblebee, see *Bombus* sp.
- Bunting, Indigo, see *Passerina cyanea*
- Lazuli*, see *Passerina amoena*
 - Painted*, see *Passerina ciris*
- Buphagus africanus*, 170
- erythrorhynchus*, 170
- Burt, D. Brent, *Habitat-use patterns in cooperative and non-cooperative breeding birds: testing predictions with Western Scrub-Jays*, 712–727
- Buteo albicaudatus*, 521
- jamaicensis*, 357–368
 - lineatus*, 357–368, 681
 - playpterus*, 498
- Butler, Robert W., Francisco S. Delgado, Horacio de la Cueva, Victor Pulido, and Brett K. Sandercock, *Migration routes of the Western Sandpiper*, 662–672
- Cacholote, Brown, see *Pseudoseisura lophotes*
- Rufous, see *Pseudoseisura cristata*
- Cacique, Yellow-billed, see *Amblycercus holosericeus*
- Calidris alba*, 191
- alpina*, 783–796
 - bairdii*, 788
 - canutus*, 788
 - fuscicollis*, 634
 - mauri*, 662–672, 788, 792
 - melanotos*, 788, 790, 792

- minutilla, 786, 788
 pusilla, 190, 191, 783–796
Calocitta spp., 724
Calothorax lucifer, 228
Calypte anna, 241
 costae, 228, 241
 camel, see *Camelus dromedarius*
Camelus dromedarius, 171
 Campa, Henry, III, see Millenbah, Kelly F., Scott R. Winterstein, ———, Ly T. Furrow, and Richard B. Minnis
Campylopterus hemileucurus, 241
Campylorhynchus rufinucha, 168
Canastero, Austral, see *Asthenes anthoides*
 Cipo, see *Asthenes luizae*
 Creamy-breasted, see *Asthenes dorbignyi*
 Patagonian, see *Asthenes patagonica*
 Short-billed, see *Asthenes baeri*
Canis familiaris, 295
 latrans, 156, 292, 299
 capybara, see *Hydrochaeris hydrochaeris*
Caracara, Black, see *Daptrius ater*
 Crested, see *Polyborus [Caracara] plancus*
 Red-throated, see *Daptrius americanus*
 Yellow-headed, see *Milvago chimachima*
caracara, see *Milvago* spp.
 Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 314, 550–555, 573–583, 689
Carduelis pinus, 125, 186, 282, 283, 289
 tristis, 125, 182–186
 Carib, Purple-throated, see *Eulampis jugularis*
 Carloss, Michael, see Johnson, William P., Frank C. Rohwer, and ———
 Carlson, Robert B., see Homan, H. Jeffrey, George M. Linz, William J. Bleier, and ———
Carpodacus mexicanus, 125
 Carrie, N. Ross, Swainson's Warblers nesting in early seral pine forests in east Texas, 802–804
Casmerodius albus, 526
 Cassie, Brian E., reviews by, 810–811, 811
 cat, civet, see *Civettictis civetta*
 domestic, see *Felis domesticus*, *Felis catus*
 Catbird, Gray, see *Dumetella carolinensis*
 Catchpole, C. K., and P. J. B. Slater, Bird song: biological themes and variations, reviewed, 600–601
Catharus bicknelli, 639–649, 650–661
 fuscescens, 190, 542
 guttatus [*Hylocichla guttata*], 53, 313, 542, 688
 minimus, 639
 ustulatus, 168, 280–291, 542
Catoptrophorus semipalmatus, 783–796
 cattle, domestic, see *Bos taurus*
 cavity
 use of artificial snags by woodpeckers, 449–456
 census methods
 for *Catharus bicknelli*, 639–649
 for populations of *Limnodynastes swainsonii* in Jamaica, 94–103
 Centeno, Marco V., see Siegel, Rodney B., and ———
Certhia americana, 280–291
Chaetura pelagica, 542
 Chantler, Phil, and Gerald Driessens, Swifts, reviewed, 198
 Chapman, Brian R., see Kilgo, John C., Robert A. Sargent, ———, and Karl V. Miller
 Chapman, Brian R., see Moorman, Christopher E., and ———
Charadrius alexandrinus, 292–301
 montanus, 28–35
 semipalmatus, 191, 783–796
 vociferus, 191, 688, 783–796
 Chat, Yellow-breasted, see *Icteria virens*
Chelydra serpentina, 190–192
 chemoreception
 in *Sturnus vulgaris*, 36–52
Chen caerulescens, 154–159, 369–371
 canagica, 155
 rossii, 154
 Chickadee, Black-capped, see *Parus atricapillus*
 Carolina, see *Parus carolinensis*
 Chestnut-backed, see *Parus rufescens*
 Mountain, see *Parus gambeli*
 chicken, see *Gallus gallus*
 Chiffchaff, see *Phylloscopus collybita*
 chipmunk, eastern, see *Tamias striatus*
Chlorostilbon alice, 2
 aureoventris, 2, 4
 mellisugus, 1–27

- olivaresi sp. nov., 1–27 (Frontispiece)
- poortmanni, 2
- ricordii, 18
- stenura, 2
- Cholorceryle amazona*, 168
- Chondestes grammacus*, 689
- Christie, David A., see Winkler, Hans,
———, and David Nurney
- Chrysemys picta*, 191
- Ciccaba virgata*, 780
- Ciconia maguari*, 526
- Cinnycerthia [fulva]*, 205–227
 - [olivascens], 205–227
 - peruana, 205–227
 - unirufa, 218
- Circus cyaneus*, 766
- Ciridops anna*, 616
- Cistothorus palustris*, 125
 - platensis, 115–122, 765, 766
- Civettictis civetta*, 369
- Clangula hyemalis*, 567–572
- Clark, Larry see Mason, J. Russell, and
———
- Clark, Larry, Trigeminal repellents do not
promote conditioned odor avoidance
in European Starlings, 36–52
- Cleptornis marchei*, 246–267
- coachwhip, western, see *Masticophis flagel-*
lum testaceus
- coati, white-nosed, see *Nasua narica*
- Coccythraustes [Hesperiphona] vespertinus*,
125, 236, 280–291
- Coccyzus americanus*, 498, 688
- Coereba flaveola*, 412
- Colaptes auratus*, 125, 126, 542
- Colinus virginianus*, 129–136, 687, 688,
693, 733, 768
- colony-site
 - use by *Quiscalus quiscula*, 104–114
- Coluber constrictor flaviventris*, 314
- Columba leucocephala*, 354
 - livia, 688
- Columbina passerina*, 168, 573–583
- talpacoti, 168
- community
 - breeding Neotropical migrants in riparian
forests of varying widths, 496–506
 - seasonal populations in Micronesia, 246–
267
- competition
 - effect of *Glaucomys volans* on nesting
success in *Picoides borealis*, 697–
711
- Conebill, Tamurugo, see *Conirostrum ta-*
marugense
- Conirostrum cinereum*, 268, 272
 - tamarugense, 268–279
- Conner, Richard N., and Daniel Saenz,
Woodpecker excavation and use of
cavities in polystyrene snags, 449–
456
- Conner, Richard N., D. Craig Rudolph, Dan-
iel Saenz, and Richard R. Schaefer,
Red-cockaded Woodpecker nesting
success, forest structure, and southern
flying squirrels in Texas, 697–711
- Conner, Richard N., review by, 389
- conservation
 - effects of field age on abundance, diver-
sity, productivity, 760–770
 - of *Conirostrum tamarugense* in northern
Chile, 268–279
- Contopus borealis*, 282, 283, 287
 - sordidulus, 378–380
 - sp., 168
 - virens, 379, 498, 503, 542, 678, 749
- Cooper, Jerry A., Birdfinder: a birder's guide
to planning North American trips, re-
viewed, 598
- Coot, Eurasian [European], see *Fulica atra*
- Coquette, White-crested, see *Lophornis*
adorabilis
- Corvus albus*, 328
 - brachyrhynchos, 129–136, 462, 688
 - corax, 282, 283, 284
 - ossifragus, 573–583
- Coturnicops novboracensis*, 119
- Coturnix coturnix*, 129–136, 294, 535–539
- Cowbird, Brown-headed, see *Molothrus ater*
- Giant, see *Scaphidura oryzivora*
- coyote, see *Canis latrans*
- Craig, Robert J., Seasonal population sur-
veys and natural history of a Micro-
nesian bird community, 246–267
- Crane, Whooping, see *Grus americana*
- Cranioleuca albiceps*, 223–224, 397–433
 - curtata, 401, 418
 - gutturata, 418
 - marcapatae, 223

- meulleri, 446
 pallida, 401, 412
 pyrrhophia, 401, 402, 418, 445, 446
 spp., 397–433, 434–448
 sulphurifera, 417
 vulpina, 418
- Creeper, Brown, see *Certhia americana*
 Hawaii, see *Oreomystis mana*
Crotophaga sulcirostris, 168
- Crow, American [Common], see *Corvus brachyrhynchos*
 Fish, see *Corvus ossifragus*
 Pied, see *Corvus albus*
- Cuckoo, Striped, see *Tapera naevia*
 Yellow-billed, see *Coccyzus americanus*
- Curson, David R., Christopher B. Goguen, and Nancy E. Mathers, Nest-site reuse in the Western Wood-Pewee, 378–380
- Custer, Christine M., Thomas W. Custer, and Daniel W. Sparks, Radio telemetry documents 24-hour feeding activity of wintering Lesser Scaup, 556–566
- Custer, Thomas W., see Custer, Christine M., ———, and Daniel W. Sparks
- Cutler, Norma G., see McIntyre, Judith W., and ———
- Cyanocitta cristata, 130, 133, 462, 681, 688, 724, 743
 stelleri, 282, 283, 284, 724
- Cyclarhis gujanensis, 412
- Cynanthus latirostris, 228–245
- Cyr, André, see Dunn, Erica H., Jacques Larivée, and ———
- da Fonseca, Paulo Sérgio Moreira, see Whitney, Bret M., José Fernando Pacheco, ———, and Robert H. Barth, Jr.
- dace, longfin, see *Agosia chrysogaster*
- Dacnis, Blue, see *Dacnis cayana*
- Dacnis cayana, 412
- Dallman, Matthew, see Smith, Robert, and ———
- Daptrius americanus, 171
 ater, 171–175
- Davis, William E., Jr., and Jerome A. Jackson (eds.), Contributions to the history of North American Ornithology, reviewed, 198–200
- Davis, William E., Jr., reviews by, 193–194, 194, 196–197, 197, 197–198, 198, 385, 385–386, 393–394, 594–595, 595–596, 597–598, 598
- deer, brocket, see *Mazama americana*
 gray brocket, see *Mazama gouazoubira*
- DeGraaf, R. M., and T. J. Maier, Effect of egg size on predation by white-footed mice, 535–539
- Dekker, René W. R. J., see Jones, Darryl N., ———, and Cees S. Roselaar
- de la Cueva, Horacio, see Butler, Robert W., Francisco S. Delgado, ———, Victor Pulido, and Brett K. Sandercock
- Delgado, Francisco S., see Butler, Robert W., ———, Horacio de la Cueva, Victor Pulido, and Brett K. Sandercock
- Dendrocygna autumnalis, 145
 bicolor, 137–150
- Dendroica caerulescens, 57, 59, 98, 101, 178–180, 467–479, 542
 castanea, 542, 749
 cerulea, 673–684, 749
 coronata, 542, 687, 688, 692
 chrysoparia, 591–592
 discolor, 98, 313
 dominica, 498
 fusca, 542, 749
 magnolia, 168, 542
 occidentalis, 280–291
 palmarum, 101
 pennsylvanica, 537, 542, 749
 petechia, 167, 167, 472, 475, 542, 749
 striata, 749
 tigrina, 542
 virens, 542, 588–591
- Dick, James A., and Ross D. James, Rufous crown feathers on adult male Tennessee Warblers, 181–182
- Dickcissel, see *Spiza americana*
- Dickinson, Vanessa M., and Keith A. Arnold, Breeding biology of the Crested Caracara in south Texas, 516–523
- Didelphis virginianus, 130, 313, 462
- diet
 food availability and preferences of breeding *Dendrocygna bicolor*, 137–150
 grit-use patterns in North American birds, 685–696

- nutritional value of winter foods for *Grus americana*, 728–739
- of *Glauucidium gnoma* and *Aegolius acadicus* in west-central Montana, 123–128
- Diglossa carbonaria*, 225
- dispersal
 - of juvenile *Egretta thula* and *Nycticorax nycticorax*, 342–356
- distribution
 - of *Catharus bicknelli* in New England and New York, 650–661
- diversity
 - effects of field age on, 760–770
- dog, domestic, see *Canis familiaris*
- Doherty, Paul F., Jr., Thomas C. Grubb, Jr., and C. L. Brown, Territories and caching-related behavior of Red-headed Woodpeckers wintering in a beech grove, 740–747
- Dolichonyx oryzivorus*, 543, 765
- Dove, Collared, see Javanese Turtle, see *Streptopelia bitorquata*
- Mourning, see *Zenaida macroura*
- Rock, see *Columba livia*
- White-throated Ground, see *Gallicolumba xanthonura*
- Dowitcher, Short-billed, see *Limnodromus griseus*
- Driessens, Gerald, see Chantler, Phil, and ———
- drinking
 - by *Pinicola enucleator*, 186–187
- Droege, Sam, see Price, Jeff, ———, and Amy Price
- Dryocopus pileatus*, 282, 283, 287, 453, 699, 701
- Duck, American Black, see *Anas rubripes*
- Mottled, see *Anas fulvigula*
- Tufted, see *Aythya fuligula*
- Wood, see *Aix sponsa*
- Dumetella carolinensis*, 535, 542
- Dunlin, see *Calidris alpina*
- Dunn, Erica H., Jacques Larivée, and André Cyr, Can checklist programs be used to monitor populations of birds recorded during the migration season?, 540–549
- Dunn, Jon L., see Graves, Gary R., Michael A. Patten, and ———
- Dunne, Pete, Before the echo: essays on nature, reviewed, 197–198
- Eagle, Bald, see *Haliaeetus leucocephalus*
- Spanish Imperial, see *Aquila adalberti*
- Eberhard, Jessica R., Nest adoption by Monk Parakeets, 374–377
- ecology
 - nesting
 - of *Acrobatornis fonsecai*, 434–448
 - of *Tyrannus forficatus*, 302–316
- Ecton, A. Marie, see Engilis, Andrew, Jr., Thane K. Pratt, Cameron B. Kepler, ———, and Kimberly M. Fluetsch
- Ecton, A. Marie, see Kepler, Cameron B., Thane K. Pratt, ———, Andrew Engilis, Jr., and Kimberly M. Fluetsch
- egg
 - effect of type on depredation of ground nests, 129–136
- Egret, Cattle, see *Bubulcus ibis*
- Great, see *Casmerodius albus*
- Snowy, see *Egretta thula*
- Egretta caerulea*, 342
- thula*, 342–356
- Elaenia, Gray, see *Myiopagis caniceps*
- Elanoides forficatus*, 498, 503
- Elaphe obsoleta*, 573, 575, 681, 698
- obsoleta lindheimeri*, 592
- Elgood, J. H., et al., The birds of Nigeria, reviewed, 203–204
- Emerald, Chiribiquete, see *Chlorostilbon olivaresi*, sp. nov. (Frontispiece)
- Cuban, see *Chlorostilbon ricordii*
- versicolor, see *Amazilia versicolor*
- Empidonax difficilis*, 282, 283, 284, 289, 379
- flaviventris*, 542
- hammondii*, 280–291
- minimus*, 168, 542
- sp., 168
- traillii*, 184
- virescens*, 190, 302, 496–506, 749
- Engilis, Andrew, Jr., see Kepler, Cameron B., Thane K. Pratt, A. Marie Ecton, ———, and Kimberly M. Fluetsch
- Engilis, Andrew, Jr., Thane K. Pratt, Cameron B. Kepler, A. Marie Ecton, and Kimberly M. Fluetsch, Description of adults, eggshells, nestling, fledgling, and nest of the Poo-uli, 607–619

- Equus zebra*, 171
Eremophila alpestris, 688, 690
 errata, 192, 394, 603
 Erwin, R. Michael, John G. Haig, Daniel B. Stotts, and Jeff S. Hatfield, Dispersal and habitat use by post-fledging juvenile Snowy Egrets and Black-crowned Night-Herons, 342–356
 Estades, Cristián F., Natural history and conservation status of the Tamarugo Conebill in northern Chile, 268–279
 Estrilda astrild, 442
Eucemes faciatius, 702
 laticeps, 702
Eudytes chrysocome, 72–79
 chrysolophus, 78
Eugenés fulgens, 229, 236
Eulampis jugularis, 238, 239, 240, 241
Euphonia, Chestnut-bellied, see *Euphonia pectoralis*
 Violaceous, see *Euphonia violacea*
Euphonia pectoralis, 412
 violacea, 412
 Fairy-Wren, see *Malurus splendens*
Falco mexicanus, 151–153
 sparverius, 236, 701
 Falcon, Prairie, see *Falco mexicanus*
 Fantail, Rufous, see *Rhipidura rufifrons*
Felis catus, 632
 domesticus, 450
 Ficken, Millicent S., see Thumser, Nina N., Jeffrey D. Darron, and ———
 Finch, House, see *Carpodacus mexicanus*
 Laysan, see *Telespiza cantans*
 Zebra, see *Poephila guttata*
 Firewood-gatherer, see *Anumbius annumbi*
 Flamingo, Andean, see *Phoenicoparrus andinus*
 Greater, see *Phoenicopterus ruber*
 Flaspohler, David J., Nesting success of the Prothonotary Warbler in the upper Mississippi River bottomlands, 457–466
 Flicker, Northern, see *Colaptes auratus*
 Flowerpiercer, Carbonated, see *Diglossa carbonaria*
 Fluetsch, Kimberly M., see Engilis, Andrew, Jr., Thane K. Pratt, Cameron B. Kepler, A. Marie Ecton, and ———
 Fluetsch, Kimberly M., see Kepler, Cameron B., Thane K. Pratt, A. Marie Ecton, Andrew Engilis, Jr., and ———
 Flycatcher, Acadian, see *Empidonax virens*
 Ash-throated, see *Myiarchus cinerascens*
 Brown-crested, see *Myiarchus tyrannulus*
 Dusky-capped, see *Myiarchus tuberculifer*
 Great Crested, see *Myiarchus crinitus*
 Hammond's, see *Empidonax hammondi*
 La Sagra's, see *Myiarchus sagrae*
 Least, see *Empidonax minimus*
 Olive-sided, see *Contopus borealis*
 Pacific Slope, see *Empidonax difficilis*
 Scissor-tailed, see *Tyrannus forficatus*
 Vermilion, see *Pyrocephalus rubinus*
 Western, see *Empidonax difficilis*
 Willow, see *Empidonax traillii*
 Yellow-bellied, see *Empidonax flaviventris*
 Yellow-olive, see *Tolmomyias sulphurens*
 flycatcher, see *Empidonax* sp.
 food availability
 for breeding *Dendrocygna bicolor* in Louisiana ricefields, 137–150
 Forsman, Eric D., see Anthony, Robert G., Gregory A. Green, ———, and S. Kim Nelson
 Foss, Carol R., (ed.), Atlas of breeding birds of New Hampshire, reviewed, 195–196
 Fournier, Michael A., and James E. Hines, Nest sharing by a Lesser Scaup and a Greater Scaup, 380–381
 fox, gray, see *Urocyon cinereoargenteus*
 red, see *Vulpes vulpes*
 swift, see *Vulpes velox*
Fregata aquila, 330
 magnificens, 332
 minor, 326, 330, 332, 333
 Frigatebird, Ascension, see *Fregata aquila*
 Great, see *Fregata minor*
 Magnificent, see *Fregata magnificens*
 frog, gray tree, see *Hyla versicolor*, *Hyla chrysoscelis*
 Fruit-Dove, Mariana, see *Ptilinopus roseicapilla*
 Fulbright, Timothy E., see Nolte, Kenneth R., and ———
Fulica atra, 577

- Furrow, Ly T., see Millenbah, Kelly F., Scott R. Winterstein, Henry Campa III, ———, and Richard B. Minnis
- Fussell, John O., III, A birder's guide to coastal North Carolina, reviewed, 196–197
- Gadwall, see *Anas strepera*
- Gallicolumba xanthonura, 246–267
- Gallinago gallinago, 788
- Gallus gallus, 129–136
- Garrido, Orlando, and Arturo Kirkconnell, Taxonomic status of the Cuban form of the Red-winged Blackbird, 372–374
- Garrido, Orlando H., see Kirkconnell, Arturo, George E. Wallace, and ———
- Gawlik, Dale E., and R. Douglas Slack, Comparative foraging behavior of sympatric Snow Geese, Greater White-fronted Geese, and Canada Geese during the non-breeding season, 154–159
- gecko, see *Sphaerodactylus* sp.
- Gee, George F., see Nelson, Jay T., R. Douglas Slack, and ———
- Gehlbach, Frederick R., The Eastern Screech-Owl: life history, ecology and behavior in the suburbs and countryside, reviewed, 201–202
- genus nova
- Acrobatornis fonsecai* gen. nov., sp. nov., 397–433
- geographic variation
- of *Cinnycerthia* wrens of the Andes, 205–227
- Geothlypis trichas, 97, 102, 167, 168, 687, 688, 692
- Gionfriddo, James P., and Louis B. Best, Grit-use patterns in North American birds: the influence of diet, body size, and sex, 685–696
- Gionfriddo, James P., see Mitchell, Mary Crowe, Louis B. Best, and ———
- Glaucidium gnoma, 123–128
- Glaucomys volans, 449, 450, 452, 697–711
- Gnatcatcher, Blue-gray, see *Poliophtila caerulea*
- Goguen, Christopher B., see Curson, David R., ———, and Nancy E. Mathews
- Golden-Plover, American, see *Pluvialis dominica*
- Goldeneye, Common, see *Bucephala clangula*
- Goldfinch, American, see *Carduelis tristis*
- Gonzaga, Luiz P., see Pacheco, José Fernando, Bret M. Whitney, and ———
- González, José A., Breeding biology of the Jabiru in the southern Llanos of Venezuela, 524–534
- Goodbred, Catherine O'Neill, and Richard T. Holmes, Factors affecting food provisioning of nestling Black-throated Blue Warblers, 467–479
- Goodwin, Clive E., A bird-finding guide to Ontario, reviewed, 597–598
- Goose, Barnacle, see *Branta leucopsis*
- Canada, see *Branta canadensis*
- domestic, see *Anser anser*
- Emperor, see *Chen canagica*
- Graylag, see *Anser anser*
- Greater White-fronted, see *Anser albifrons*
- Ross', see *Chen rossii*
- Snow, see *Chen caerulescens*
- gopher, northern pocket, see *Thymomys talpoides*
- Grackle, Common, see *Quiscalus quiscula*
- Great-tailed, see *Quiscalus mexicanus*
- grants
- see awards and grants
- Grassquit, Blue-black, See *Volatinia ujacarina*
- Graves, Gary R., Censusing wintering populations of Swainson's Warblers: surveys in the Blue Mountains of Jamaica, 94–103
- Graves, Gary R., Michael A. Patten, and Jon L. Dunn, Comments on a probable gynandromorphic Black-throated Blue Warbler, 178–180
- Graveteiro, Pink-legged, see *Acrobatornis fonsecai* gen. nov., sp. nov. (Frontispiece)
- Graytail, Double-banded, see *Xenerpestes minlosi*
- Equatorial, see *Xenerpestes singularis*
- Green, Gregory A., see Anthony, Robert G., ———, Eric D. Forsman, and S. Kim Nelson

- Gregory, Mark, see Koenen, Marcus, T., David M. Leslie, Jr., and ———
- Griffin, Curtice R., see Megyesi, Jennifer L., and ———
- Grosbeak, Black-headed, see *Pheucticus melanocephalus*
- Evening, see *Coccothraustes vespertinus*
- Pine, see *Pinicola enucleator*
- Rose-breasted, see *Pheucticus ludovicianus*
- Ground-Dove, Common, see *Columbina passerina*
- Ruddy, see *Columbina talpacoti*
- Grouse, Ruffed, see *Bonasa umbellus*
- Grubb, Thomas C., Jr., Doherty, Paul F., Jr., ———, and C. L. Brown
- Grus americana*, 728–739
- Gull, Herring, see *Larus argentatus*
- Laughing, see *Larus atricilla*
- Ring-billed, see *Larus delawarensis*
- Gygis alba*, 332
- habitat
- change and nesting success in *Sterna antillarum* and *Charadrius alexandrinus*, 292–301
 - large tract and fragmented forest use by *Otus nudipes*, 776–782
 - use by juvenile *Egretta thula* and *Nycticorax nycticorax*, 342–356
 - use in cooperative and non-cooperative breeding birds, 712–727
 - use of coastal agricultural fields by shorebirds, 783–796
 - use of forest gaps by breeding *Dendroica virens*, 588–591
- Haig, John G., see Erwin, R. Michael, ———, Daniel B. Stotts, and Jeff S. Hatfield
- Halcyon chloris*, 246–267
- Haliaeetus leucocephalus*, 156
- Hall, George A., review by, 195–196
- Hall, George A., see Buckelew, Albert, Jr., and ———
- Hamerstrom, Frances, *My double life: memoirs of a naturalist*, 194–195
- Harper, Lee H., see Karwowski, Kenneth, J. Edward Gates, and ———
- Harrier, Northern, see *Circus cyaneus*
- Hatfield, Jeff S., see Erwin, R. Michael, John G. Haig, Daniel B. Stotts, and ———
- Hawk, Broad-winged, see *Buteo platypterus*
- Cooper's, see *Accipiter cooperii*
- Red-shouldered, see *Buteo lineatus*
- Red-tailed, see *Buteo jamaicensis*
- White-tailed, see *Buteo albicaudatus*
- Helmitheros vermivorus*, 98, 101, 168, 176, 749
- Hemignathus munroi*, 614
- parvus, 616
- stejnegeri, 616
- virens, 265, 616, 617, 631, 634, 635
- Hemithraupis ruficapilla*, 412
- Hermit, Little, see *Phaethornis longuemareus*
- Heron, Great White, see *Ardea herodias occidentalis*
- Little Blue, see *Egretta caerulea*
- White-necked, see *Ardea cocoi*
- Herpestes auropunctatus*, 632
- Himatione sanguinea*, 265, 615, 616, 630, 631
- Hines, James E., see Fournier, Michael A., and ———
- Hirundo rustica*, 168, 557, 687, 688, 691
- Hodges, Malcolm F., Jr., and David G. Krentz, Neotropical migratory breeding bird communities in riparian forests of different widths along the Altamaha River, Georgia, 496–506
- Hoerath, J. David, see Andrews, Brenda J., Marie Sullivan, and ———
- Holmes, Richard T., see Goodbred, Catherine O'Neill, and ———
- Holt, Denver W., and Leslie A. Leroux, Diets of Northern Pygmy-Owls and Northern Saw-whet Owls in west-central Montana, 123–128
- Holt, Denver W., review by, 201–202
- Hohman, William L., Timothy M. Stark, and Joseph L. Moore, Food availability and feeding preferences of breeding Fulvous Whistling-Ducks in Louisiana ricefields, 137–150
- Homan, H. Jeffrey, George M. Linz, William J. Bleier, and Robert B. Carlson, Colony-site and nest-site use by Common Grackles in North Dakota, 104–114

- Honeycreeper, Crested, see *Palmeria dolei*
 Honeyeater, Micronesian, see *Mysomela rubrata*
 Howell, Steve N. G., and Sophie Webb, A guide to the birds of Mexico and northern Central America, reviewed, 391–393
 Hummingbird, Allen's, see *Selasphorus sasin*
 Anna's, see *Calypte anna*
 Black-chinned, see *Archilochus alexandri*
 Broad-billed, see *Cynanthus latirostris*
 Broad-tailed, see *Selasphorus playtercus*
 Calliope, see *Stellula calliope*
 Cinnamon, see *Amazilia rutila*
 Costa's, see *Calypte costae*
 Lucifer, see *Calothorax lucifer*
 Magnificent, see *Eugenes fulgens*
 Ruby-throated, see *Archilochus colubris*
 Rufous, see *Selasphorus rufus*
 Scaly-breasted, see *Phaeochroa cuvierii*
 Violet-crowned, see *Amazilia violiceps*
 Violet-headed, see *Klais guimete*
 White-eared, see *Hylocharis leucotis*
 hybrid
 male preference in female *Passerina cyanea* and *Passerina amoena*, 771–775
 Hydrochaeris hydrochaeris, 173
 Hyla fasciatus, 702
 versicolor, 702
 Hylocharis leucotis, 241
 Hyllocichla mustelina, 498, 536, 542
 Icteria virens, 167, 168
 Icterus cucullatus, 236
 galbula, 168, 543, 687, 689, 692, 749
 Ictinia mississippiensis, 498
 Iiwi, see *Vestiaria coccinea*
 information for authors, 395–396, 604–605
 Ixobrychus sinensis, 246–267
 Ixoreus naevius, 280–291
 Jabiru mycteria, 524–534
 Jabiru, see *Jabiru mycteria*
 Jackson, Jerome A., review by, 386–387, 387–388
 Jackson, Jerome A., see Davis, William E., Jr., and ———
 James, Ross D., see Dick, James A., and ———
 Jay, Blue, see *Cyanocitta cristata*
 Gray, see *Perisoreus canadensis*
 Gray-breasted, see *Aphelocoma ultramarina*
 Stellar's, see *Cyanocitta stelleri*
 Western Scrub, see *Aphelocoma californica*
 Johnsgard, Paul A., Arena birds: sexual selection and behavior, reviewed, 193–194
 Johnsgard, Paul A., This fragile land. A natural history of the Nebraska sandhills, reviewed, 389–390
 Johnson, William P., Frank C. Rohwer, and Michael Carlross, Evidence of nest parasitism in Mottled Ducks, 187–189
 Jones, Darryl N., René W. R. J. Dekker, and Cees S. Roselaar, The megapodes Megapodiidae, reviewed, 811–812
 Junco, Dark-eyed, see *Junco hyemalis*
 Junco hyemalis, 125, 280–291, 543
 Kakawahie, see *Paroreomyza flammea*
 Karron, Jeffrey D., see Thumser, Nina N., ———, and Millicent S. Ficken
 Kemp, Alan, The hornbills, reviewed, 386–387
 Kepler, Cameron B., see Engilis, Andrew, Jr., Thane K. Pratt, ———, A. Marie Ecton, and Kimberly M. Fluetsch
 Kepler, Cameron B., Thane K. Pratt, A. Marie Ecton, Andrew Engilis, Jr., and Kimberly M. Fluetsch, Nesting behavior of the Poo-uli, 620–638
 Kerlinger, Paul, How birds migrate, reviewed, 594
 Kestrel, American, see *Falco sparverius*
 Kilgo, John C., Robert A. Sargent, Brian R. Chapman, and Karl V. Miller, Nest-site selection by Hooded Warblers in bottomland hardwoods of South Carolina
 Killdeer, see *Charadrius vociferus*
 King, David I., Carnivory observed in the Cedar Waxwing, 381–382
 Kingbird, Cassin's, see *Tyrannus vociferans*
 Eastern, see *Tyrannus tyrannus*
 Thick-billed, see *Tyrannus crassirostris*
 Kingfisher, Amazon, see *Cholorceryle amazona*
 Collared, see *Halcyon chloris*

- Kinglet, Golden-crowned, see *Regulus satrapa*
- kingsnake, see *Lampropeltis* spp.
- Kirkconnell, Arturo, George W. Wallace, and Orlando H. Garrido, Notes on the status and behavior of the Swainson's Warbler in Cuba, 175–178
- Kirkconnell, Arturo, see Garrido, Orlando, and ———
- Kite, American Swallow-tailed, see *Elanoides forficatus*
- Mississippi, see *Ictinia mississippiensis*
- Snail, see *Rostrhamus sociabilis*
- Kiviat, Erik, American Goldfinch nests in purple loosestrife, 182–186
- Klais guimeti, 241
- klipspringer, see *Oreotragus oreotragus*, 171
- Knopf, Fritz L., and Jeffery R. Rupert, Reproduction and movements of Mountain Plovers breeding in Colorado, 28–35
- Knot, Red, see *Calidris canutus*
- Koa-Finch, see *Rhodacanthis palmeri*
- Koenen, Marcus, T., David M. Leslie, Jr., and Mark Gregory, Habitat changes and success of artificial nests on a alkaline flat, 292–301
- Krementz, David G., see Hodges, Malcolm E., Jr., and ———
- Kricher, John C., review by, 193–194
- Lagothris lagotricha cana*, 172
- Lampropeltis* spp., 313
- Larivée, Jacques, see Dunn, Erica H., ———, and André Cyr
- Lark, Horned, see *Eremophila alpestris*
- LaRoe, Edward T., III, see Noss, Reed E., ———, and J. Michael Scott
- Larus argentatus*, 557
- atricilla, 190
- delawarensis, 296
- Leafloor, James O., John E. Thompson, and C. Davison Ankney, Body mass and carcass composition of fall migrant Oldsquaws, 567–572
- Lefebvre, Gaëtan, and Brigitte Poulin, Abundance of migrant birds in relation to food resources in Caribbean and Pacific mangroves of Panama, 748–759
- Leontopithecus chrysomelas*, 430
- Leroux, Lislie A., see Holt, Denver W., and ———
- Leslie, David M., Jr., see Koenen, Marcus, T., ———, and Mark Gregory
- Levi, Peter, Edward Lear: a biography, reviewed, 598–600
- Limnodromus griseus*, 788, 790, 792
- Limnothlypis swainsonii*, 94–103, 175–178, 498, 802–804
- Lindsey, Gerald D., see Meyers, J. Michael, Wayne J. Arendt, and ———
- Linz, George M., see Homan, H. Jeffrey, ———, William J. Bleier, and Robert B. Carlson
- lizard, see *Anolis* sp.
- Lockwood, Mark W., Courtship behavior of Golden-cheeked Warblers, 591–592
- Lophornis adorabilis*, 241
- Loxioides bailleui*, 614, 616, 631, 634, 635
- Loxops caeruleirostris*, 614
- coccineus, 615, 632
- MacDougall-Shackleton, Scott, review by, 600–601
- Magpie, Black-billed, see *Pica pica*
- magpie-jay, see *Calocitta* spp.
- Mahan, Carolyn G., see Yahner, Richard H., and ———
- Maier, T. J., see DeGraaf, R. M., and ———
- Mallard, see *Anas platyrhynchos*
- Malurus splendens*, 775
- Mango, Black-throated, see *Anthracothonax nigricollis*
- Margarornis bellus*, 426
- spp., 397–433, 446
- squamiger, 397–433, 446
- Martin, Purple, see *Progne subis*
- Marzluff, John M., and Mary McFadzen, Do standardized brood counts accurately measure productivity?, 151–153
- Mason, J. Russell, and Larry Clark, Avoidance of cabbage fields by Snow Geese, 369–371
- Masticophis flagellum testaceus*, 314
- Mathews, Nancy E., see Curson, David R., Christopher B. Goguen, and ———
- Mazama americana*, 173
- gouazoubira, 171–175
- McClure, H. Elliot, Stories I like to tell: an autobiography, reviewed, 385–386

- McElroy, David B., and Gary Ritchison, Effect of mate removal on singing behavior and movement patterns of female Northern Cardinals, 550–555
- McFaden, Mary, see Marzluff, John M., and ———
- McFarland, Kent P., see Atwood, Jonathan L., Christopher C. Rimmer, ———, Sophia H. Tsai, and Laura R. Nagy
- McFarland, Kent P., see Rimmer, Christopher C., Jonathan L. Atwood, ———, and Laura R. Nagy
- McIntyre, Judith W., and Norma G. Cutler, Annotated bibliography of the loons, Gaviidae, reviewed, 194
- Meadowlark, Eastern, see *Sturnella magna*
- Western, see *Sturnella neglecta*
- Megapode, Micronesian, see *Megapodius laperouse*
- Megapodius laperouse*, 246–267
- Megyesi, Jennifer L., and Curtice R. Griffin, Breeding biology of the Brown Noddy on Tern Island, Hawaii, 317–334
- Melampus phaeosoma*, 607–619, 620–638
- Melanerpes carolinus*, 450, 454, 699, 702, 743
- erythrocephalus*, 687, 688, 740–747, 743
- formicivorus*, 236, 722
- hoffmanni*, 25
- rubrucapillus*, 25
- uropygialis*, 236
- Meleagris gallopavo*, 129–136
- Melospiza georgiana*, 184, 543
- lincolni*, 543
- melodia*, 125, 184, 340, 543, 688, 765
- Mephitis mephitis*, 130, 462
- methods
- survial of radio-collared nestling Amazona vittata, 159–163
- Metopothrix aurantiacus*, 397–433, 446, 447
- spp., 397–433, 434, 435, 446
- Meyers, J. Michael, New nesting area of Puerto Rican Parrots, 164–166
- Meyers, J. Michael, see Pardieck, Keith L., ———, and Michelle Pagán
- Meyers, J. Michael, Wayne J. Arendt, and Gerald D. Lindsey, Survival of radio-collared nestling Puerto Rican Parrots, 159–163
- Microtus montanus*, 125, 126
- pennsylvanicus*, 125, 126
- spp., 123–128
- migration
- routes of *Calidris mauri*, 662–672
- Millenbah, Kelly F., Scott R. Winterstein, Henry Campa III, Ly T. Furrow, and Richard B. Minnis, Effects of Conservation Reserve Program field age on avian relative abundance, diversity, and productivity, 760–770
- Miller, Karl V., see Kilgo, John C., Robert A. Sargent, Brian R. Chapman, and ———
- Milvago chimachima*, 173, 174
- spp., 173
- Mimus polyglottos*, 236, 314, 573–583
- mink, see *Mustela vison*
- Minnis, Richard B., see Millenbah, Kelly F., Scott R. Winterstein, Henry Campa III, Ly T. Furrow, and ———
- Mitchell, Jeremy S., and Raleigh J. Robertson, Extra nest site occupancy by Tree Swallows: do floaters avoid nest sites near settled pairs?, 797–802
- Mitchell, Mary Crowe, Louis B. Best, and James P. Gionfriddo, Avian nest-site selection and nesting success in two Florida citrus groves, 573–583
- Mniotilta varia*, 98, 101, 168, 190, 536, 542, 749
- Mockingbird, Northern, see *Mimus polyglottos*
- Moldenhauer, Ralph R., see Regelski, Daniel J., and ———
- Molothrus ater*, 184, 381, 457, 543, 592, 676, 677, 687, 689
- mongoose, see *Herpestes auropunctatus*
- monkey, wooly, see *Lagothrix logotricha cana*
- Monroe, Burt L., Jr., The birds of Kentucky, reviewed, 197
- Moore, Joseph L., see Hohman, William L., Timothy M. Stark, and ———
- Moorman, Christopher E., and Brian R. Chapman, Nest-site selection of Red-shouldered and Red-tailed hawks in a managed forest, 357–368
- moose, see *Alces alces*
- Morrison, Michael L., see Block, William M., ———, and M. Hildegard Reiser

- mouse, see *Peromyscus* spp.
 deer, see *Peromyscus maniculatus*
 white-footed, see *Peromyscus leucopus*
- Mus musculus*, 632
- Mustela* spp., 130
 vison, 462
- Myiarchus cinerascens*, 236
crinitus, 498, 542
sagrae, 490
tuberculifer, 168
tyrannulus, 236
- Myiopagis caniceps*, 412
- Myiopsitta monachus*, 374–377, 584–588
- Myzomela rubrata*, 246–267
- Nagy, Laura R., see Atwood, Jonathan L., Christopher C. Rimmer, Kent P. McFarland, Sophia H. Tsai, and ———
- Nagy, Laura R., see Rimmer, Christopher C., Jonathan L. Atwood, Kent P. McFarland, and ———
- Nasua narica*, 173
- natural history
 of *Conirostrum tamarugense* in northern Chile, 268–279
 of Micronesian community, 246–267
 of *Tachycineta cyaneoviridis*, 480–495
- Nelson, Jay T., R. Douglas Slack, and George F. Gee, Nutritional value of winter foods for Whooping Cranes, 728–739
- Nelson, S. Kim, see Anthony, Robert G., Gregory A. Green, Eric D. Forsman, and ———
- Neotropical migrants
 breeding communities in riparian forests of different widths, 496–506
- Nerodia sipedon*, 191
- nest
 adoption
 by *Myiopsitta monachus*, 374–377
 artificial
 success for *Sterna antillarum* and *Charadrius alexandrinus*, 292–301
 use of polystyrene snags by woodpeckers, 449–456
 attentiveness
 in hummingbirds, 228–245
 description
 of *Melamprosops phaeosoma*, 607–619
 parasitism
 in *Anas fulvigula*, 187–189
 reuse
 by *Contopus sordidulus*, 378–380
 sharing
 by *Aythya affinis* and *Aythya marila*, 380–381
 site
 extra occupancy by *Tachycineta bicolor*, 797–802
 new area for endangered *Amazona vitata*, 164–166
 selection by *Wilsonia citrina* in a bottomland hardwoods, 53–60
 selection in *Buteo lineatus* and *Buteo jamaicensis*, 357–368
 selection in *Limnolophus swainsonii*, 802–804
 selection in two Florida citrus groves, 573–583
 selection in *Tyrannus forficatus*, 302–316
 use by *Quiscalus quiscula* in North Dakota, 104–114
 use of purple loosestrife by *Carduelis tristis*, 182–186
 structure
 of *Acrobatornis fonsecai*, 434–448
- nesting
 behavior of *Melamprosops phaeosoma*, 620–638
 changes in body mass of female *Bucephala clangula*, 61–71
 of *Limnolophus swainsonii* in east Texas, 802–804
 success in two Florida citrus groves, 573–583
 success of *Picoides borealis* in south Texas, 697–711
 success of *Protonotaria citra* in Mississippi River bottomland, 457–466
- nestling
 description of *Melamprosops phaeosoma*, 607–619
 eaten by *Bombicilla cedrorum*, 381–382
 food provisioning in *Dendroica caerulescens*, 467–479
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*

- Noddy, Black, see *Anous tenuirostris*
 Brown, see *Anous stolidus*
- Nolte, Kenneth R., and Timothy E. Fulbright, Nesting ecology of Scissor-tailed Flycatchers in south Texas, 302–316
- Noss, Reed F., Edward T. LaRoe III, and J. Michael Scott, Endangered ecosystems of the United States: a preliminary assessment of loss and degradation, reviewed, 389
- Numenius phaeopus, 786, 788
- Nunrey, David, see Winkler, Hans, David A. Christie, and ———
- Nuthatch, Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
- Nycticorax nycticorax, 332, 342–356, 557
- Oldsquaw, see *Clangula hyemalis*
- Oliarnyk, Catherine J., and Raleigh J. Robertson, Breeding behavior and reproductive success of Cerulean Warblers in southeastern Ontario, 673–684
- Onychognathus nabouroup, 171
- Oporornis formosus, 101, 168, 176, 190, 498
 philadelphia, 335, 542
 tolmiei, 168, 190, 282, 283, 284
- opossum, Virginia, see *Didelphis virginianus*
- Oreomystis bairdi, 616
 mana, 614, 632
- Oriole, Hooded, see *Icterus cucullatus*
 Northern, see *Icterus galbula*
- Otus asio, 127, 553, 701, 776, 778, 780
 kennicottii, 127
 nudipes, 776–782
- Ovenbird, see *Seiurus aurocapillus*
- Owl, Barn, see *Tyto alba*
 Barred, see *Strix varia*
 Boreal, see *Aegolius funereus*
 Great Horned, see *Bubo virginianus*
 Long-eared, see *Asio otus*
 Mottled, see *Ciccaba virgata*
 Northern Spotted, see *Strix occidentalis caurina*
 Saw-whet, see *Aegolius acadicus*
- Oxpecker, Red-billed, see *Buphagus africanus*
 Yellow-billed, see *Buphagus erythrorhynchus*
- Pacheco, José Fernando, Bret M. Whitney, and Luiz P. Gonzaga, A new genus and species of Furnariid (Aves: Furnariidae) from the cocoa-growing region of southeastern Bahia, Brazil, 397–433
- Pacheco, José Fernando, see Whitney, Bret M., ———, Paulo Sérgio Moreira da Fonseca, and Robert H. Barth, Jr.
- Pachyrhamphus aglaiae, 168
 castaneus, 412
 marginatus, 412
- Pagán, Michelle, see Pardieck, Keith L., J. Michael Meyers, and ———
- Palmeria dolei, 616, 617
- Parakeet, Monk, see *Myiopsitta monachus*
 parasitism
 new host species for Protocalliphora (Diptera: Calliphoridae), 189–190
- Pardieck, Keith L., J. Michael Meyers, and Michelle Pagán, Surveys of Puerto Rican Screech-Owl populations in large-tract and fragmented forest habitat, 776–782
- Paroreomyza flammea, 616
 montana, 614, 616, 617, 631, 636
- Parrott, Puerto Rican, see *Amazona vittata*
- Parrotbill, Maui, see *Pseudonestor xanthophrys*
- Parula americana, 335–341, 496–506, 542
 pitiauyumi, 412
- Parula, Northern, see *Parula americana*
 Tropical, see *Parula pitiauyumi*
- Parus atricapillus, 125, 282, 283, 287
 bicolor, 743
 carolinensis, 449, 450, 454, 743
 gambeli, 90, 91, 125
 major, 474, 507, 513, 514
 montanus, 80–93, 507
 Rufescens, 280–291
- Passer domesticus, 124, 125, 481, 490, 687, 688, 691, 692
- montanus, 247
- Passerculus sandwichensis, 472, 543, 688, 689
- Passerella iliaca, 688
- Passerina amoena, 771–775
 ciris, 167, 168
 cyanea, 168, 689, 771–775

- Patten, Michael A., see Graves, Gary R.,
———, and Jon L. Dunn
- peccary, see *Tayassu tajacu* and *Tayassu peccari*.
- Peck, Robert McCracken, review by, 598–600
- Penguin, Humboldt, see *Spheniscus humboldti*
- Jackass, see *Spheniscus demersus*
- Macaroni, see *Eudyptes chrysolophus*
- Magellanic, see *Spheniscus magellanicus*
- Rockhopper, see *Eudyptes chrysocome*
- Peppershrike, Rufous-browed, see *Cucularhis gujanensis*
- Peres, Carlos A., Ungulate ectoparasite removal by Black Caracaras and Pale-winged Trumpeters in Amazonian forests, 170–175
- Perisoreus canadensis, 282, 283, 289
- Peromyscus leucopus, 535–539.
maniculatus, 125, 126
spp., 462
- pewee, see *Contopus* sp.
- Phacellodomus dorsalis, 421
rufifrons, 401, 424, 434–448
sibilatrix, 397–433
spp., 415, 421, 423, 441, 446
- Phaeochroa cuvierii, 241
- Phaethon rubricauda, 332
- Phaethornis longuemareus, 241
- Phainopepla nitens, 119
- Phainopepla, see *Phainopepla nitens*
- Phasianus colchicus, 685–696, 766
- Pheasant, Ring-necked, see *Phasianus colchicus*
- Pheucticus ludovicianus, 543
melanocephalus, 236
- Phoebe, Black, see *Sayornis nigricans*
Eastern, see *Sayornis phoebe*
- Phoenicoparrus andinus, 807–808
chilensis, 807
- Phoenicopterus ruber, 485, 807
- Phoeniculus porphyreus, 722
- Phylloscopus collybita, 340
- Pica pica, 171
- Picoides borealis, 697–711
pubescens, 449–456, 743
villosus, 280–291, 450, 454, 490
- pig, feral, see *Sus scrofa*
- Pigeon, White-crowned, see *Columba leucocephala*
- Pinicola enucleator, 186–187
- Pintail, Northern, see *Anas acuta*
- Pipilo fuscus, 236
- Piranga ludoviciana, 282, 283, 284
olivacea, 543
rubra, 236, 498, 749
- Platyrinchus mystaceus, 168, 224, 225
- Plover, Black-bellied, see *Pluvialis squatarola*
- Mountain, see *Charadrius montanus*
- Semipalmated, see *Charadrius semipalmatus*
- Snowy, see *Charadrius alexandrinus*
- plumage
of *Melampus phaeosoma*, 607–619
probable gynandromorphic *Dendroica caerulescens*, 178–180
rufous crown feathers on adult male *Vermivora peregrina*, 181–182
- Plushcrown, Orange-fronted, see *Metopothrix aurantiacus*
- Pluvialis dominica, 783–796
squatarola, 191, 783–796
- Pochard, European, see *Aythya ferina*
- Poephila guttata, 535–539
- Poliophtila caerulea, 496–506
- Polyborus [Caracara] plancus, 516–523, 530, 532
- Poo-uli, see *Melampus phaeosoma*
- Poocetes gramineus, 58, 543, 687, 689
- population
density of *Catharus bicknelli*, 639–649
growth of *Myiopsitta monachus* in the United States, 584–588
of Micronesian community, 246–267
use of checklist to monitor trends during migratory season, 540–549
- Poulin, Brigitte, Lefebvre, Gaëtan, and ———
- Power, Dennis M., (ed.), Current ornithology, Vol. 12, reviewed, 393
- Pravosudov, Vladimir V., and Elena V. Pravosudova, The breeding biology of the Willow Tit in northeastern Siberia, 80–93
- Pravosudova, Elena V., see Pravosudov, Vladimir V., and ———
- Pratt, Thane K., see Engilis, Andrew, Jr.,

- , Cameron B. Kepler, A. Marie Ecton, and Kimberly M. Fluetsch
 Pratt, Thane K., see Kepler, Cameron B.,
 ———, A. Marie Ecton, Andrew Engilis, Jr., and Kimberly M. Fluetsch
 predation
 effects of egg type on depredation of
 ground nests, 129–136
 of eggs by *Peromyscus leucopus*, 535–539
 of shorebirds by *Chelydra serpentina*,
 190–192
 Price, Amy, see Price, Jeff, Sam Droege, and
 ———
 Price, Jeff, Sam Droege, and Amy Price,
 The summer atlas of North American
 birds, reviewed, 594–595
 proceedings
 seventy-seventh annual meeting, 813–824
 Procyon lotor, 130, 133, 313, 451, 462, 538
 productivity
 accuracy of standardized counts, 151–153
 effects of field age on, 760–770
 Progne subis, 482
 Protonotaria citrea, 449, 450, 454, 457–466,
 496–506, 535, 748–759
 Pruett-Jones, Stephen, see Van Bael, Sun-
 shine, and ———
 Pryor, Gregory S., Observations of shore-
 bird predation by snapping turtles in
 eastern Lake Ontario, 190–192
 Pseudonestor xanthophrys, 617, 636
 Pseudoseisura cristata, 447
 lophotes, 375, 376, 443, 444
 spp., 441
 Psophia crepitans, 172
 leucoptera, 171–175
 spp., 173
 viridis, 172
 Ptilinopus roseicapilla, 246–267
 Pulido, Victor, see Butler, Robert W., Fran-
 cisco S. Delgado, Horacio de la Cue-
 va, ———, and Brett K. Sandercock
 Pygmy-Owl, Northern, see Glaucidium gno-
 ma
 Pyrocephalus rubinus, 302, 377–378
 Quail, Common, see Coturnix coturnix
 Japanese, see Coturnix coturnix
 Quiscalus mexicanus, 313
 quiscula, 104–114, 462, 543, 689
 racer, yellow-bellied, see Coluber constrictor
 flaventris
 raccoon, see Procyon lotor
 Rail, Yellow, see Coturnicops novboracensis
 Rattus exulans, 632
 norvegicus, 632
 rattus, 632, 636
 Raven, Common, see Corvus corax
 Fan-tailed, see Corvus rhipidurus
 Redstart, American, see Setophaga ruticilla
 Reed-Warbler, Great, see Acrocephalus
 arundinaceus
 Nightingale, see Acrocephalus luscinia
 Regelski, Daniel J., and Ralph R. Molden-
 hauer, Discrimination between re-
 gional song forms in the Northern Pa-
 rula, 335–341
 Regulus satrapa, 280–291, 542
 Reinert, Bianca L., see Bornschein, Marcos
 R., and ———
 Reiser, M. Hildegard, see Block, William
 M., Michael L. Morrison, and
 ———
 Remsen, J. V., Jr., see Brumfield, Robb T.,
 and ———
 reproduction
 of Charadrius montanus in Colorado, 28–
 35
 success of Dendroica cerulea, 673–684
 Revels, Mia, Eight new host species for the
 parasitic blow fly genus Protocalli-
 phora (Diptera: Calliphoridae), 189–
 190
 Rhipidura rufifrons, 246–267
 Rhodacanthis palmeri, 616
 Riggs, Michael R., see Zicus, Michael C.,
 and ———
 Rimmer, Christopher C., Jonathan L. At-
 wood, Kent P. McFarland, and Laura
 R. Nagy, Population density, vocal
 behavior, and recommended survey
 methods for Bicknell's Thrush, 639–
 649
 Rimmer, Christopher C., see Atwood, Jona-
 than L., ———, Kent P. McFarland,
 Sophia H. Tsai, and Laura R. Nagy
 Ritchison, Gary, see McElroy, David B., and
 ———

- Robertson, Raleigh J., see Mitchell, Jeremy S., and ———
- Robertson, Raleigh J., see Oliarnyk, Catherine J., and ———
- Robin, American, see *Turdus migratorius*
Clay-colored, see *Turdus grayii*
- Rodgers, James A., Jr., Measurements of Snail Kite eggs from central Florida, 804–807
- Rohwer, Frank C., see Johnson, William P., ———, and Michael Carloss
- Roselaar, Cees S., see Jones, Darryl N., René W. R. J. Dekker, and ———
- Rostrhamus sociabilis*, 804–807
- Rottenborn, Stephen C., The use of coastal agricultural fields in Virginia as foraging habitat by shorebirds, 783–796
- Rowley, Peter, The chronicles of the Rowleys, reviewed, 197
- Rudolph, D. Craig, see Conner, Richard N., ———, Daniel Saenz, and Richard R. Schaefer
- Rupert, Jeffrey R., see Knopf, Fritz L., and ———
- Sabrewing, Violet, see *Campylopterus hemileucurus*
- Saenz, Daniel, see Conner, Richard N., and ———
- Saenz, Daniel, see Conner, Richard N., D. Craig Rudolph, ———, and Richard R. Schaefer
- Saltator coerulescens*, 168
- Saltator*, Grayish, see *Saltator coerulescens*
- Sandercock, Brett K., see Butler, Robert W., Francisco S. Delgado, Horacio de la Cueva, Victor Pulido, and ———
- Sanderling, see *Calidris alba*
- Sandpiper, Baird's, see *Calidris bairdii*
Buff-breasted, see *Tryngites subruficollis*
Least, see *Calidris minutilla*
Pectoral, see *Calidris melanotos pusilla*
Semipalmated, see *Calidris*
Solitary, see *Tringa solitaria*
Spotted, see *Actitis macularia*
Upland, see *Bartramia longicauda*
Western, see *Calidris mauri*
White-rumped, see *Calidris fuscicollis*
- Sapsucker, Yellow-bellied, see *Sphyrapicus varius*
- Sargent, Robert A., see Kilgo, John C., ———, Brian R. Chapman, and Karl V. Miller
- Sayornis nigricans*, 377–378
phoebe, 542
spp., 302
- Scaphidura oryzivora*, 173
- Scaup, Greater, see *Aythya marila*
Lesser, see *Aythya affinis*
- Schaefer, Richard R., see Conner, Richard N., D. Craig Rudolph, Daniel Saenz, and ———
- Schoeniophylax phryganophila*, 447
- Sciurus carolinensis*, 130, 462, 681
niger, 462, 700, 701, 743
spp., 462
- Scott, J. Michael, see Noss, Reed F., Edward T. LaRoe III, and ———
- Screech-Owl, Eastern, see *Otus asio*
Puerto Rican, see *Otus nudipes*
Western, see *Otus kennicottii*
- Scytalopus* spp., 412
- Searcy, William A., and Ken Yasukawa, Polygyny and sexual selection in Red-winged Blackbirds, reviewed, 600
- Seedeater, White-collared, see *Sporophila torqueola*
- Seiurus aurocapillus*, 97, 102, 168, 176, 177, 265, 537, 542
motacilla, 97–98, 102
noveboracensis, 167, 168, 542, 748–759
- Selasphorus platycercus*, 239, 241
rufus, 239, 280–291
sasin, 241
- Setophaga ruticilla*, 98, 101, 168, 176, 474, 542, 748–759
- Shoveler, Northern, see *Anas clypeata*
- shrew, see *Sorex* spp.
masked, see *Sorex cinereus*
vagrant, see *Sorex vagrans*
- Siegel, Rodney B., and Marco V. Centeno, Neotropical migrants in marginal habitats on a Guatemalan cattle ranch, 166–170
- Siptornis* spp., 415
striaticollis, 401
- Siskin, Pine, see *Carduelis pinus*
- Sitta canadensis*, 282, 283, 289, 290
carolinensis, 743

- skink, broad-headed, see *Eumeces laticeps*
 five-lined, see *Eumeces fasciatus*
 skunk, striped, see *Mephitis mephitis*
 Skutch, Alexander F., Orioles, blackbirds,
 and their kin: a natural history, re-
 viewed, 809
 Slack, R. Douglas, see Gawlik, Dale E., and
 ———
 Slack, R. Douglas, see Nelson, Jay T.,
 ———, and George F. Gee
 Slagsvold, Tore, Dawn and dusk singing of
 male American Robins in relation to
 female behavior, 507–515
 Slater, P. J. B., see Catchpole, C. K., and
 ———
 Smith, P. William, review by, 203–204
 Smith, Robert, and Matthew Dallman, For-
 est gap use by breeding Black-throat-
 ed Green Warblers, 588–591
 snake, black rat, see *Elaphe obsoleta*
 northern water, see *Nerodia sipedon*
 rat, see *Elaphe obsoleta*
 Texas rat, see *Elaphe obsoleta lindheimeri*
 Snipe, Common, see *Gallinago gallinago*
 Softtail, Plain, see *Thripophaga fusciceps*
 Russet-mantled, see *Thripophaga berlep-
 schi*
 Striated, see *Thripophaga macroura*
 Sorex cinereum, 126
 spp., 126
 vagrans, 125, 126
 Spadebill, White-throated, see *Platyrinchus*
mystaceus
Sphaerodactylus sp., 176
 Sparks, Daniel W., see Custer, Christine M.,
 Thomas W. Custer, and ———
 Sparrow, American Tree, see *Spizella arbo-
 rea*
 Bachman's, see *Aimophila aestivalis*
 Chipping, see *Spizella passerina*
 Eurasian Tree, see *Passer montanus*
 Fox, see *Passerella iliaca*
 House, see *Passer domesticus*
 Lark, see *Chondestes grammacus*
 Lincoln's, see *Melospiza lincolni*
 Savannah, see *Passerculus sandwichensis*
 Song, see *Melospiza melodia*
 Swamp, see *Melospiza georgiana*
 Vesper, see *Poocetes gramineus*
 White-throated, see *Zonotrichia albicollis*
species nova
Acrobatornis fonsecai gen. nov. sp. nov.,
 397–433
Chlorostilbon olivaresi sp. nov., 1–27
Spheniscus demersus, 72–79
humboldti, 72–79
magellanicus, 72–79
Sphyrapicus varius, 542
 Spinetail, Chotoy, see *Schoeniophylax phry-
 ganophila*
 Light-crowned, see *Cranioleuca albiceps*
 Marcapata, see *Cranioleuca marcapatae*
 Rufous-breasted, see *Synallaxis erythro-
 thorax*
 Rusty-backed, see *Cranioleuca vulpina*
 Scaled, see *Cranioleuca meulleri*
 Speckled, see *Cranioleuca gutturata*
 Sulphur-bearded, see *Cranioleuca sulphur-
 ifera*
Spiza americana, 314, 689, 692
Spizella arborea, 687, 689, 691
passerina, 543, 689
Sporophila torqueola, 168
 squirrel, see *Sciurus* spp.
 fox, see *Sciurus niger*
 gray, see *Sciurus carolinensis*
 red, see *Tamiasciurus grahamensis*
 southern flying, see *Glaucomys volans*
 Stark, Timothy M., see Hohman, William L.,
 ———, and Joseph L. Moore
 Starling, European, see *Sturnus vulgaris*
 Micronesian, see *Aplonis opaca*
 Pale-winged, see *Onychognathus nabor-
 oup*
 status
 of *Limnotheryx swainsonii* in Cuba, 175–
 178
 of *Phoenicoparrus andinus* in Brazil, 807–
 808
Stelgidopteryx serripennis, 168
Stellula calliope, 239, 241
Sterna antillarum, 292–301
forsteri, 190
fuscata, 332
 Stevens, Lewis, Avian biochemistry and
 molecular biology, reviewed, 809
 Stiles, F. Gary, A new species of Emerald
 hummingbird (*Trochilidae*, *Chloro-
 stilbon*) from the Sierra de Chiribiquete,

- southeastern Colombia, with a review of the *C. mellisugus* complex, 1–27
- Stork, Maguari, see *Ciconia maguari*
- Stotts, Daniel B., see Erwin, R. Michael, John G. Haig, ———, and Jeff S. Hatfield
- Streptopelia bitorquata*, 247
- Strix occidentalis caurina*, 280
 varia, 127
- Sturnella magna*, 543
 neglecta, 689
- Sturnus vulgaris*, 36–52, 481, 490, 513, 688
- Stutchbury, Bridget J., see Taroff, Scott A., and ———
- Sullivan, Marie, see Andrews, Brenda J., ———, and J. David Hoerath
- survival
 of radio-collared nestling *Amazona vitta*, 159–163
- Sus scrofa*, 621, 636
- Swallow, Bahama, see *Tachycineta cyaneoviridis*
 Barn, see *Hirundo rustica*
 Golden, see *Tachycineta euchrysea*
 Mangrove, see *Tachycineta albilinea*
 Northern Rough-winged, see *Stelgidopteryx serripennis*
 Tree, see *Tachycineta bicolor*
- Swift, Vaux's, see *Chaetura vauxi*, 282, 283, 287, 289
- Swiftlet, Island, see *Aerodramus vanikorensis*
- Synallaxis erythrothorax*, 168
- Tachycineta albilinea*, 168, 481
 bicolor, 480–495, 797–802
 cyaneoviridis, 480–495
 euchrysea, 485
 spp., 480
- Tachyphonus cristatus*, 412
- tamarin, golden-headed lion, see *Leontopithecus chrysomelas*
- Tamias striatus*, 130, 537
- Tamiasciurus hudsonicus*, 130
- Tanager, Blue-gray, see *Thraupis episcopus*
 Flame-crested, see *Tachyphonus cristatus*
 Green-headed, see *Tangara seledon*
 Palm, see *Thraupis palmarum*
 Red-necked, see *Tangara cyanocephala*
 Rufous-headed, see *Hemithraupis ruficapilla*
- Sayaca, see *Thraupis sayaca*
- Scarlet, see *Piranga olivacea*
- Summer, see *Piranga rubra*
- Western, see *Piranga ludoviciana*
- Tangara cyanocephala*, 412
 seledon, 412
- tapaculo, see *Scytalopus spp.*
- Tapera naevia*, 442
- tapir, Baird's, see *Tapirus bairdii*
 Brazilian, see *Tapirus terrestris*
- Tapirus bairdii*, 173
 terrestris, 171
- Taroff, Scott A., and Bridget J. Stutchbury, A case of cooperative breeding in the Hooded Warbler, 382–384
- taxonomy
 of *Acrobatornis fonsecai* gen. nov., sp. nov., 397–433
 of *Chlorostilbon mellisugus* complex, 1–27
 of *Cinnycerthia* wrens of the Andes, 205–227
 of Cuban form of *Agelaius phoeniceus*, 372–374
- Tayassu pecari*, 173
 tajacu, 173
- Taylor, Iain, Barn Owls: predator-prey relationships and conservation, 811
- Taylor, Richard Cachor, A birder's guide to southeastern Arizona, reviewed, 810–811
- Teal, Blue-winged, see *Anas discors*
 Cinnamon, see *Anas cyanoptera*
 Green-winged see *Anas crecca*
- technique
 use of checklists to monitor population trends during migration, 540–549
- Telespiza cantans*, 633, 634, 635
- Temby, I. D., see Emison, W. B., C. M. Beardsell, and ———
- Tern, Common, Forster's, see *Sterna forsteri*
 Least, see *Sterna antillarum*
 Sooty, see *Sterna fuscata*
 White, see *Gygis alba*
- territory
 of wintering *Melanerpes erythrocephalus*, 740–747
- Thamnophilus doliatus*, 168
- Thompson, John E., see Leafloor, James O., ———, and C. Davison Ankney

- Thornbird, Chestnut-backed, see *Phacellodomus dorsalis*
 Little, see *Phacellodomus sibilatrix*
 Thrasher, Brown, see *Toxostoma rufum*
 Long-billed, see *Toxostoma longirostre*
 Thraupis episcopus, 168
 palmaris, 412
 sayaca, 412
 Thripophaga berlepschi, 421
 fusciceps, 397–433, 445
 macroura, 421, 445
 spp., 415, 417, 421, 445
 Thrush, Bicknell's, see *Catharus bicknelli*
 Gray-cheeked, see *Catharus minimus*
 Hermit, see *Catharus guttatus*
 Swainson's, see *Catharus ustulatus*
 Varied, see *Ixoreus naevius*
 Wood, see *Hylocichla mustelina*
 Thumser, Nina N., Jeffrey D. Karron, and Millicent S. Ficken, Interspecific variation in the calls of *Spheniscus* penguins, 72–79
 Thymomys talpoides, 126
 Tit, Great, see *Parus major*
 Willow, see *Parus montanus*
 Titmouse, Tufted, see *Parus bicolor*
 Todiostrostrum cinereum, 168
 Tody-Flycatcher, Common, see *Todiostrostrum cinereum*
 Tolmomyias sulphurescens, 168
 Tomer, John S., and Michael J. Brodhead, (eds.), A naturalist in Indian territory: the journals of S. W. Woodhouse, 1849–1850, reviewed, 200–201
 Towhee, Canyon, see *Pipilo fuscus*
 Toxostoma longirostre, 579
 rufum, 542, 573–583
 Treerunner, Beautiful, see *Margarornis bellus*
 Pearled, see *Margarornis squamiger*
 Tringa flavipes, 190, 191, 788, 790
 melanoleuca, 788, 790
 solitaria, 788, 791
 Troglodytes aedon, 449, 457–466, 542, 553, 688, 797
 solstitialis, 222
 troglodytes, 280–291, 542
 Tropic-bird, Red-tailed, see *Phaethon rubricauda*
 Trumpeter, Gray-winged, see *Psophia crepitans*
 Green-winged, see *Psophia viridis*
 Pale-winged, see *Psophia leucoptera*
 White-winged, see *Psophia leucoptera*
 Tryngites subruficollis, 783–796
 Tsai, Sophia H., see Atwood, Jonathan L., Christopher C. Rimmer, Kent P. McFarland, ———, and Laura R. Nagy
 Tucson Audubon Society, Finding birds in southeast Arizona, reviewed, 810–811
 Turdus grayi, 168
 migratorius, 125, 507–515, 542, 688
 Turkey, Wild, see *Meleagris gallopavo*
 Turnstone, Ruddy, see *Arenaria interpres*
 turtle, painted, see *Chrysemys picta*
 snapping, see *Chelydra serpentina*
 Tyrannus crassirostris, 236
 forficatus, 302–316
 spp., 302
 tyrannus, 312, 313, 378, 474, 687, 688, 691
 vociferans, 236
 Tyto alba, 127
 Ula-ai-hawane, see *Ciridops anna*
 Urocyon cinereoargenteus, 130
 Ursus americanus, 130
 Van Bael, Sunshine, and Stephen Pruett-Jones, Exponential population growth of Monk Parakeets in the United States, 584–588
 Veery, see *Catharus fuscescens*
 Venilornis fumigatus, 168
 Vermivora bachmani, 804
 celata, 181
 chrysoptera, 749
 peregrina, 168, 181–182, 542, 749
 ruficapilla, 181, 471, 474, 542
 Vestiaria coccinea, 616, 617, 631
 Vireo bellii, 168
 flavifrons, 190, 498
 gilvus, 282, 283, 284, 542
 griseus, 496–506
 olivaceus, 412, 496–506, 542, 749
 philadelphicus, 542
 Vireo, Bell's, see *Vireo bellii*
 Philadelphia, see *Vireo philadelphicus*
 Red-eyed, see *Vireo olivaceus*

- Warbling, see *Vireo gilvus*
 White-eyed, see *Vireo griseus*
 Yellow-throated, see *Vireo flavifrons*
 vocalization
 comparison of vocal repertoires of *Spheniscus* spp., 72–79
 dawn and dusk singing in male *Turdus migratorius*, 507–515
 discrimination between song types in *Parula americana*, 335–341
 effect of mate removal on singing behavior of *Cardinalis cardinalis*, 550–555
Volatinia jacarina, 168
 vole, see *Microtus* spp.
 meadow, see *Microtus pennsylvanicus*
 montane, see *Microtus montanus*
Vulpes velox, 28, 31, 33
 vulpes, 130
 Wallace, George E., see Kirkconnell, Arturo, ———, and Orlando H. Garrido
 Warbler, Bachman's, see *Vermivora bachmani*
 Bay-breasted, see *Dendroica castanea*
 Black-and-white, see *Mniotilta varia*
 Black-throated Blue, see *Dendroica caerulescens*
 Black-throated Green, see *Dendroica virens*
 Blackburnian, see *Dendroica fusca*
 Blackpoll, see *Dendroica striata*
 Canada, see *Wilsonia canadensis*
 Cape May, see *Dendroica tigrina*
 Cerulean, see *Dendroica cerulea*
 Chestnut-sided, see *Dendroica pensylvanica*
 Golden-cheeked, see *Dendroica chrysoparia*
 Golden-winged, see *Vermivora chrysop-tera*
 Hermit, see *Dendroica occidentalis*
 Hooded, see *Wilsonia citrina*
 Kentucky, see *Oporornis formosus*
 MacGillivray's, see *Oporornis tolmici*
 Magnolia, see *Dendroica magnolia*
 Mourning, see *Oporornis philadelphia*
 Nashville, see *Vermivora ruficapilla*
 Orange-crowned, see *Vermivora celata*
 Palm, see *Dendroica palmarum*
 Prairie, see *Dendroica discolor*
 Prothonotary, see *Protonotaria citrea*
 Swainson's, see *Limnothlypis swainsonii*
 Tennessee, see *Vermivora peregrina*
 Virginia's, see *Vermivora virginiae*
 Wilson's, see *Wilsonia pusilla*
 Worm-eating, see *Helmitheros vermivorus*
 Yellow, see *Dendroica petechia*
 Yellow-rumped, see *Dendroica coronata*
 Yellow-throated, see *Dendroica dominica*
 Waterthrush, Louisiana, see *Seiurus motacilla*
 Northern, see *Seiurus noveboracensis*
 Waxbill, Barbed, see *Estrilda astrild*
 Waxwing, see *Bombycilla* spp.
 Bohemian, see *Bombycilla garrulus*
 Cedar, see *Bombycilla cedrorum*
 weasel, see *Mustela* spp.
 Webb, Sophie, see Howell, Steve N. G., and ———
 Wheatley, Nigel, Where to watch birds in South America, reviewed, 390–391
 Whimbrel, see *Numenius phaeopus*
 Whistling-Duck, Black-bellied, see *Dendrocygna autumnalis*
 Fulvous, see *Dendrocygna bicolor*
 White, Mel, A birder's guide to Arkansas, reviewed, 385
 White-Eye, Bridled, see *Zosterops conspici-latus*
 Golden, see *Cleptornis marchei*
 Whitney, Bret M., José Fernando Pacheco, Paulo Sérgio Moreira da Fonseca, and Robert H. Barth, Jr., The nest and nesting ecology of *Acrobatornis fonsecai* (Furnariidae), with implication for intrafamilial relationships, 434–448
 Whitney, Bret M., see Pacheco, José Fernando, ———, and Luiz P. Gonzaga
 Willet, see *Catoptrophorus semipalmatus*
Wilsonia canadensis, 542, 749
 citrina, 53–60, 101, 168, 176, 190, 383–384, 498
 pusilla, 282, 283, 284
 Winkler, Hans, David A. Christie, and David Nurney, Woodpeckers, reviewed, 387–388
 Winterstein, Scott R., see Millenbah, Kelly F., ———, Henry Campa III, Ly T. Furrow, and Richard B. Minnis
 Wolfe, David F. G., Opportunistic winter

- water acquisition by Pine Grosbeaks, 186–187
- Wood-Pewee, Eastern, see *Contopus virens*
- Western, see *Contopus sordidulus*
- Woodhoopoe, Green, see *Phoeniculus purpureus*
- Woodpecker, Acorn, see *Melanerpes formicivorus*
- Downy, see *Picoides pubescens*
- Gila, see *Melanerpes uropygialis*
- Hairy, see *Picoides villosus*
- Hoffman's, see *Melanerpes hoffmanni*
- Ivory-billed, see *Xiphorhynchus flavigaster*
- Pileated, see *Dryocopus pileatus*
- Red-bellied, see *Melanerpes carolinus*
- Red-cockaded, see *Picoides borealis*
- Red-crowned, see *Melanerpes rubrucapillus*
- Red-headed, see *Melanerpes erythrocephalus*
- Smoky-brown, see *Venilornis fumigatus*
- Wren, House, see *Troglodytes aedon*
- Long-billed, see *Cistothorus palustris*
- Mountain, see *Troglodytes solstitialis*
- Rufous-naped, see *Campylorhynchus rufinucha*
- Sedge, see *Cistothorus platensis*
- Sepia-brown, see *Cinnycerthia peruana*
- Winter, see *Troglodytes troglodytes*
- Xenerpestes minlosi, 397–433, 446
 - singularis, 397–433
 - spp., 397–433, 434, 435, 446
- Xenops rutilans, 412
- Xenops, Streaked, see *Xenops rutilans*
- Xiphorhynchus flavigaster, 168
- Yahner, Richard H., and Carolyn G. Mahan,
 - Effects of egg type on depredation of artificial ground nests, 129–136
- Yasukawa, Ken, see Searcy, William A., and ———
- Yellowlegs, Greater, see *Tringa melanoleuca*
- Lesser, see *Tringa flavipes*
- Yellowthroat, Common, see *Geothlypis trichas*
- zebra, mountain, see *Equus zebra*
- Zenaida macroura, 313, 314, 581, 582, 688
- Zicus, Michael C., and Michael R. Riggs,
 - Change in body mass of female Common Goldeneyes during nesting and brood rearing, 61–71
- Zimmerman, John L., review by, 389–390
- Zonotrichia albicollis, 543
 - leucophrys, 553
- Zosterops conspicillatus, 246–267

This issue of *The Wilson Bulletin* was published on 31 December 1996.